

CURRIE ROSE RESOURCES INC.

P.O. Box 1134
80 King Street
St. Catharines, Ontario
L2R 7A3

Telephone: 905-688-9115
Facsimile: 905-688-5615
Email: info@currierose.com

NEWS RELEASE

TRADING SYMBOL: CUI

Date: December 16, 2003

Currie Rose Resources Inc. has been informed by the Company's joint venture partner, JML Resources Ltd. recently completed its first phase exploration program at the Scadding Gold Property 50 kilometers northeast of Sudbury, Ontario. The Company's drill program confirmed the presence of significant gold values within two known gold zones. A recently completed geophysical program, extended known gold zones and identified additional untested zones for further exploration. Seven significant zones with gold potential were identified and represent targets for additional drilling. The Company plans an extensive drilling program commencing in January 2004.

A total of 1405 meters were completed in 11 surface drill holes. Significant drill results are tabulated below. JML-01 to JML-07 was previously announced on Oct 2. and Oct 16. 2003. Hole JML-11 successfully intersected significant values at the East West Zone confirming the significant potential of this zone.

Drill Hole	Intersection From – to	Interval Meters (feet)	Gold Grade in Grams/tonne (ounces/ton)	Comments
JML-01	10.5-15.5	5.0 (16.4')	5.5 (0.16 opt)	North Zone
includes	13.0-15.0	2.0 (6.6')	10.7 (0.31 opt)	
	30.0-31.0	1.0 (3.3')	5.4 (0.15 opt)	
	41.0-44.0	3.0 (9.9')	5.8 (0.16 opt)	
includes	42.0-42.5	0.5 (1.6')	22.7 (0.66 opt)	
JML-02	40.5-47.5	7.0 (23.0')	9.1 (0.26 opt)	North Zone
includes	44.5-47.5	3.0 (9.9')	20.1 (0.58 opt)	
includes	46.0-47.5	1.5 (4.9')	33.7 (0.98 opt)	
JML-03	8.0-12.5	4.5 (14.8')	6.9 (0.20 opt)	North Zone
includes	8.0-10.5	2.5 (8.2')	11.8 (0.33 opt)	
includes	9.5-10.5	1.0 (3.3')	26.0 (0.76 opt)	
	28.0-32.5	4.5 (14.8')	3.6 (0.10 opt)	
includes	28.0-30.0	2.0 (6.6')	5.9 (0.17 opt)	
includes	28.0-29.0	1.0 (3.3')	10.3 (0.30 opt)	
JML-04	30.0-35.0	5.0 (16.4')	5.3 (0.15 opt)	North Zone
includes	30.0-32.0	2.0 (6.6')	12.9 (0.38 opt)	
JML-06	60.85-62.0	1.15 (3.8')	4.2 (0.12 opt)	North Zone
	64.5-72.5	8.0 (26.3')	3.4 (0.10 opt)	
includes	64.5-66.0	1.5 (4.9')	5.3 (0.15 opt)	
includes	70.5-72.5	2.0 (6.6')	7.3 (0.21 opt)	
JML-07	16.5-18.5	2.0 (6.6')	7.8 (0.23 opt)	North Zone
	37.5-42.5	5.0 (16.4')	5.4 (0.16 opt)	
includes	38.0-41.0	3.0 (9.9')	6.3 (0.18 opt)	
includes	40.5-42.5	2.0 (6.6')	7.2 (0.21 opt)	
	49.5-50.0	0.5 (1.6')	17.0 (0.50 opt)	

JML-09	83.0-83.5	0.5 (1.6')	2.3 (0.06 opt)	North Zone
JML-11	68.0-72.0	4.0 (13.1')	7.5 (0.21 opt)	East-West Zone (Zone 3)
includes	70.0-72.0	2.0 (6.6')	14.9 (0.43 opt)	

Holes 5, 8 and 10 failed to intersect significant values. Assays were completed at Expert Laboratories in Rouyn-Noranda.

Geophysical Program Outlines Property Potential

The geophysical program was designed to highlight the potential for sizable gold zones to be hosted on the Scadding Property. A total of 32 kilometers of an induced polarization (IP) survey and 48 kilometers of a magnetometer survey were completed over a 1.5 km X 1.5 km grid. No previous detailed IP was ever completed on the property. The surveys identified seven distinct zones (Zones #1 to #5, North and Central Zones) with gold bearing potential. All 7 zones are east-west striking and have strike lengths of between 200 and 900 meters.

Zone 1 is 600 meters north of the North Zone. It is proximal to an historic geochemical anomaly with values ranging from trace up to 15.0 g/t (0.43 opt). It is a 650 meter long moderate to strong IP anomaly. It is open to the east and at depth and has not been drill tested.

Zone 2 is 100 meters south of the North Zone. It is proximal to historical drill holes yielding 10.3 g/t (0.30 opt) across 1.1 meters (3.6') and 18.2 g/t (0.53 opt) across 0.3 meters (1.0'). It is a 700 meter long moderate IP anomaly. It is open to the east and at depth. Approximately 650 meters of strike length has not been drill tested.

Zone 3 is 200 meters south of the North Zone. It has been partially developed and drilled (East-West Zone: 30,000 tons @ 0.33 opt, JML-11 and others), is associated with a 700 meter long, moderate to strong IP anomaly and is open to the east and at depth. Approximately 350 meters of strike length has not been drill tested..

Zone 4 is 350 meters south of the North Zone. It has been partially developed by the South Zone (unspecified tons and grade). It is a 400 meter long, weak to moderate IP anomaly and is open to the east and at depth. Approximately 375 meters of strike length has not been drill tested. .

Zone 5 is 500 meters south of the North Zone. It is a 900 meter long, very strong IP anomaly, open to the east and at depth and has not been drill tested.

The North Zone is associated with historical drilling and JML holes #1 to #9. Several gold zones are associated within a gold-rich alteration envelope. The alteration envelope has been traced for approximately 200 meters and is open at depth.

The Central Zone has been partially developed along a strike of 60 meters and to a depth of 100 meters. Approximately 115,724 tons were removed at an average grade of 0.21 ounces/ton. The Central Zone is associated within a 200 meter long IP Zone. The remaining IP Zone is open to the west and at depth and has not been drill tested

Ken Lapierre P.Geo is the Qualified Person for the purposes of National Policy 43-101.

ON BEHALF OF THE BOARD OF DIRECTORS
CURRIE ROSE RESOURCES INC.

“Harold Smith”
Harold Smith, President

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this news release.

