

***CURRIE ROSE RESOURCES INC.***

102-110B Hannover Drive  
St. Catharines, Ontario L2W 1A4  
Telephone: 905-688-9115  
[info@currierose.com](mailto:info@currierose.com)

Investor Relations Office:  
300-1055 West Hastings Street  
Vancouver, B.C. V6E 2E9  
604-662-4955

**NEWS RELEASE**

TRADING SYMBOL: CUI

September 7, 2005

**Currie Rose Reports Results of Second Drilling  
Program at Mabale Hills Tanzania**

**Currie Rose Resources Inc.** is pleased to announce that recent drilling at the Mwamazengo gold discovery (Mabale Hills Project) **in central** Tanzania has confirmed the earlier drilling results with gold mineralisation extending to 110 metres vertical depth. Gold mineralisation remains open at depth and along strike (See drill plan on website, [www.currierose.com](http://www.currierose.com) ).

**Drill Highlights - Mwamazengo Prospect - Tanzania**

**MBNR-005 intersected 3 metres @ 5.08g/t gold from 17 metres**  
**MBNR-007 intersected 12 metres @ 9.11g/t gold from 57 metres**  
**MBNR-009 intersected 13 metres @ 2.07g/t gold from 80 metres**  
**MBNR-015 intersected 59 metres @ 2.75g/t gold from the surface**  
**Including 4 metres @ 16.71g/t gold from 38 metres**

Drilling by joint venture partner Sub-Sahara Resources NL on behalf Currie Rose, intersected additional significant gold mineralisation at the Mwamazengo prospect within the Mabale Hills Project in the Lake Victoria Greenstone belt in Tanzania.

The current programme of 2,387 metres of drilling consisted of 14 Reverse Circulation (RC) drill holes totalling 1,444 metres and 13 Rotary Air Blast (RAB) drill holes totalling 644 metres at Mwamazengo with a further 10 RAB drill holes at Sisu River totalling 299 metres.

The 14 RC holes were designed to test the continuity of mineralisation discovered during the March drilling campaign at the colonial Mwamazengo workings while the RAB drilling at

Mwamazengo was designed to test for potential parallel mineralisation and strike extensions. The RAB drilling at Sisu River was designed to test high grade rock chip samples and the possible strike extension of the Kitongo gold discovery (outside the license area).

At Mwamazengo, previous RC drilling had identified a significant, structurally controlled gold target on the western limb of an anticlinal fold closure within an intercollated package of BIF, tuff and schists. The current drilling has:

- Confirmed mineralisation down to 110 metres vertical depth**
- Confirmed oxide gold mineralisation from the surface**
- Intersected significant infill gold mineralisation**
- Confirmed mineralisation over 250 metres**
- Confirmed that oxidation extends to approximately 75 metres vertical depth.**

Three of the 14 RC drill holes were unsuccessful in reaching their target depth but the remaining 11 drill holes successfully reached target and intersected gold mineralisation (Table 1).

**Table 1: Mwamazengo Prospect - Significant Drill Intersections – August Drilling**

| Hole Id | Easting (UTM) | Northing (UTM) | Dip (°) | Azimuth (°) | Depth (m) | From (m)         | To (m)    | Interval (m) | Au (g/t)     |
|---------|---------------|----------------|---------|-------------|-----------|------------------|-----------|--------------|--------------|
| MBNR005 | 482,131.80    | 9,650,239.70   | -55     | 90          | 100       | 17               | 20        | 3            | <b>5.08</b>  |
| MBNR006 | 482,052.00    | 9,650,242.70   | -55     | 90          | 100       | 0                | 2         | 2            | <b>1.57</b>  |
| MBNR007 | 482,075.60    | 9,650,168.70   | -55     | 90          | 100       | 57               | 69        | 12           | <b>9.11</b>  |
|         |               |                |         |             |           | <b>59</b>        | <b>67</b> | <b>8</b>     | <b>12.0</b>  |
| MBNR008 | 482,061.40    | 9,650,195.60   | -55     | 90          | 100       | 76               | 81        | 5            | <b>2.71</b>  |
| MBNR009 | 482,101.20    | 9,650,082.30   | -55     | 90          | 100       | 80               | 93        | 13           | <b>2.07</b>  |
|         |               |                |         |             |           | <b>including</b> | <b>86</b> | <b>92</b>    | <b>6</b>     |
|         |               |                |         |             |           | <b>&amp;</b>     | <b>98</b> | <b>100</b>   | <b>2</b>     |
|         |               |                |         |             |           |                  |           |              | <b>1.9</b>   |
| MBNR010 | 482,083.80    | 9,650,041.60   | -55     | 90          | 100       | 65               | 67        | 2            | <b>1.29</b>  |
| MBNR011 | 482,082.60    | 9,650,000.80   | -55     | 90          | 100       | 0                | 1         | 1            | <b>1.33</b>  |
| MBNR012 | 482,042.10    | 9,649,999.80   | -55     | 90          | 119       | 0                | 8         | 8            | <b>1.54</b>  |
| MBNR014 | 482,060.50    | 9,650,078.90   | -55     | 90          | 120       | 0                | 8         | 8            | <b>1.97</b>  |
|         |               |                |         |             |           | <b>including</b> | <b>0</b>  | <b>6</b>     | <b>6</b>     |
|         |               |                |         |             |           |                  |           |              | <b>2.36</b>  |
| MBNR015 | 482,113.20    | 9,650,125.60   | -55     | 90          | 100       | 0                | 59        | 59           | <b>2.75</b>  |
|         |               |                |         |             |           | <b>including</b> | <b>0</b>  | <b>14</b>    | <b>14</b>    |
|         |               |                |         |             |           | <b>including</b> | <b>38</b> | <b>42</b>    | <b>4</b>     |
|         |               |                |         |             |           |                  |           |              | <b>16.71</b> |
| MBNR016 | 482,034.70    | 9,650,164.70   | -55     | 90          | 150       | 59               | 66        | 7            | 2.84         |
| MBNR018 | 482,150.00    | 9,650,164.10   | -55     | 90          | 70        | 0                | 6         | 6            | 1.49         |

